

Pharmacology and Swallowing

To Learn More About...

Pill Swallowing

- Carnaby-Mann, G., et al (2005) Pill Swallowing by adults with dysphagia. *Arch Otolaryngol Head Neck Surg*, 131, 970-5.
- Channer, K and Virjee, J (1986) The effect of size and shape of tablets on their esophageal transit. *J Clin Pharmacol* 26(2), 141-6.
- Channer, K and Virjee, J (1985) The effect of formulation on oesophageal transit. *J Pharm Pharmacol*, 37(2), 126-29.
- Ghuman, J, et al (2004) Behavioral training for pill swallowing difficulties in young children with autistic disorder. *J Child Adolesc Psychopharmacol*, 14(4), 601-11.
- Kelly, J and Wright D (2009) Administering medication to adult patients with dysphagia. *Nursing Standard*. 23(29), 61-8.
- Kelly J, Wright D (2010) Administering medication to adult patients with dysphagia: part two. *Nursing Standard*. 24, 26, 61-68.
- Marquis, J (2013) Swallowing difficulties with oral drugs among poly-pharmacy patients attending community pharmacies. *Int J Clin Pharm* 35(6), 1130-6.
- Osmanoglou, E et al (2004) Oesophageal transport of solid dosage forms depends on body position, swallowing volume, and pharyngeal propulsion velocity. *Neurogastroenterol Motil* 16(5), 547-56.
- Overgaard, A et al (2001) Patients' evaluation of shape, size, and colour of solid dosage forms. *Pharm World Sci* 25(5), 185-88.
- Pergolizzi, J, et al (2014) Challenges of treating patients with chronic pain with dysphagia: Physician and patient perspectives. *Curr Med Res Opin*, 30(2), 191-202.
- Schiele, J., et al, (2013) Difficulties swallowing solid oral dosage forms in a general practice population: Prevalence, causes, and relationships to dosage forms, *Eur Jnl Clin Pharmacol*, 69(4), 937-48.
- Schiele, J., et al, (2014) Two techniques to make swallowing pills easier. *Annals of Family Medicine*, 12(6), 550-2.
- Schiele, J., et al, (2015) Swallowing tablets and capsules increases the risk of penetration and aspiration in patients with stroke-induced dysphagia, *Dysphagia*, 30, 571-82.
- Walker, R et al (2011) Self reported dysphagia and its correlates within a prevalent population of people with Parkinsons Disease. *Dysphagia*, 26(1), 92-96.
- Yamamoto, S., et al (2013) How do tablet properties influence swallowing behaviors? *J Pharmacol*, 66, 32-39.

Medication Administration and Medication Errors

- Barnett, N and Parmar, P., (2016) How to tailor medication formulations for patients with dysphagia, *The Pharmaceutical Jnl*, August.
- Cornish, P., (2005) Avoid the crush': Hazards of medication administration in patients with dysphagia or a feeding tube, *CMAJ*, 172(7), 871-2.
- Fodil, M., et al, (2017) Assessment of clinical practices for crushing medication in geriatric units, *J of Nutrition Health and Aging*, 21(8), 904-8.
- Haw, C and Stubbs, J. (2010) Administration of medicines in food and drink: A study of older inpatients with severe mental illness. *Int Psychogeriatr*, 22(3), 409-16.
- Hughes, R and Blegen M. (2008) Medication Administration Safety, in *Patient Safety and Quality: An Evidence Based Handbook for Nurses*, Rockville.
- Kelly, J., et al, (2010) Patients with dysphagia: Experiences of taking medication, *J of Advanced Nursing*, 66(1), 82-91.
- Kelly, J et al (2009) A qualitative study of the problems surrounding medicine administration to patients with dysphagia. *Dysphagia* 24(1), 49-56.
- Kelly, J., and Wright, D., (2009) Administering Medication to adult patients with Dysphagia, *Nursing Standard*, 23(29), 62-68.
- Kelly, J et al (2011) Medicine administration errors in patients with dysphagia in secondary care: A multi centre observational study. *J Adv Nurs*, 67(12), 2615-27.
- Logrippo, S., et al, (2017) Oral drug therapy in elderly with dysphagia: Between a rock and a hard place!, *Clinical Interventions in Aging*, 12, 241-51.
- Notenboom, K., et al, (2017) Learning from patients: Identifying design features of medicines that cause medication use problems, *International J of Pharmaceutics*, 517, 128-34.
- Stubbs, J, et al (2008) Dose form modification – A common but potentially hazardous practice: A literature review and study of medication administration to older psychiatric inpatients. *Int Psychogeriatr*, 20(3), 616-27.
- Stuijt, C., et al, (2013) Improving medication administration in nursing home residents with swallowing difficulties: Sustainability of the effect of a multifaceted medication safety programme. *Pharmacoepidemiol Drug Safety*, 22(4), 423-9.
- Wright, D. and Kelly, J. (2012) Medication administration in patients with dysphagia. *Nursing Standard*, 27(10), 35-40.

Pharmacology

American Geriatrics Society, (2015) American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults, *J American Geriatrics Society*, 63, 2227-46.

Bar, A., et al, (2010) Gabapentin for the treatment of pain syndrome related to radiation-induced mucositis in patients with head and neck cancer treated with concurrent chemoradiotherapy, *Cancer*, 116, 4206-13.

Carl, L., and Johnson, P., (2006) *Drugs and Dysphagia: How Medications Can Affect Eating and Swallowing*, Pro-Ed, Austin.

Cichero, Julie, (2013) Thickening agents used for dysphagia management: Effect on bioavailability of water, medication, and feelings of satiety. *Nutrition Journal*, 12, 54.

Gallagher, L., and Naidoo, P., (2009) Prescription Drugs and Their Effects on Swallowing, *Dysphagia*, 24, 159-66.

Hoh, K et al (2010) In situ gelling xyloglucan alginate liquid formulation for sustained drug delivery to dysphagic patients. *Drug Dev Ind Pharm*, 3(4), 449-55.

Jackson, L., et al (2008) Safe medication swallowing in dysphagia: A collaborative improvement project. *Healthcare Quarterly*, 11, 110-6.

Karch, A and Karch F. (2000) A hard pill to swallow. *Am J Nurs*, 100(4), 25.

Kishida, Y, et al (2013) Relationship between dysphagia and serum substance P levels in chronic central nervous disease, *International J Clinical Med*, 4, 86-90.

Leder, S and Lerner, M. (2013) Nil per os except medications order in the dysphagic patient. *Q J Med* 106, 71-5.

Llorca, P. (2011) Discussion of prevalence and management of discomfort when swallowing pills: Orodispersible tablets expand treatment options in patients with depression. *Ther Deliv*, 2(5), 611-22.

Manrique, Y., et al, (2016) Oral medication delivery in impaired swallowing: Thickened liquid medications for safe swallowing alters dissolution characteristics, *Drug Dev Ind Pharm*, February, 1-29.

Marik, P., and Kaplan, D (2003) Aspiration pneumonia and dysphagia in the elderly, *Chest*, 124(1), 328-36.

Miarons, M., et al, (2016) Drugs related to oropharyngeal dysphagia in older people, *Dysphagia*, 31, 697-705.

Miarons Font, M., and Rofes Salsench, L., (2017) Anti-psychotic medication and oropharyngeal dysphagia: Systematic review, *Eur J of Gastroenterology and Hepatology*, 29(12), 1332-39.

Rudolph, J., et al (2008) Antipsychotics and oropharyngeal dysphagia in hospitalized older adults, *J Clinical Psychopharmacology*, 28(5), 532-5.

Shimoyama, T et al (2012) Oral liquid in situ gelling methylcellulose/alginate formulations for sustained drug delivery to dysphagic patients. *Drug Dev Ind Pharm* 38(8), 952-60.

Smith, B., et al, (2012) Introduction to drug pharmacokinetics in the critically ill patient, *Chest*, 141(5), 1327-36.

Siden, R and Wolf, M. (2013) Disintegration of chemotherapy tablets in patients with swallowing difficulties. *J Oncol Pharm Pract*, 19(2), 145-50.

Starmer, H., et al, (2014) Effect of gabapentin on swallowing during and after chemoradiation for oropharyngeal squamous cell cancer *Dysphagia*, 29, 396-402.

Starmer, H., et al, (2017) One-year swallowing outcomes in patients treated with prophylactic gabapentin during radiation-based treatment for oropharyngeal cancer" *Dysphagia*, 32, 437-42.

Tomita, T., et al, (2017) Effect of food thickener on the inhibitory effect of mitiglinide tablets on post-prandial elevation of blood glucose levels, *Dysphagia*, 32, 449-53.